

Your (Half Yearly Compliance Report) has been Submitted with following details

Proposal No	IA/AP/IND3/431931/2023
Compliance ID	111524339
Compliance Number(For Tracking)	EC/COMPLIANCE/111524339/2024
Reporting Year	2024
Reporting Period	01 Dec(01 Apr - 30 Sep)
Submission Date	26-11-2024
RO/SRO Name	V Geroge Jenner
RO/SRO Email	tr025@ifs.nic.in
State	ANDHRA PRADESH
RO/SRO Office Address	Integrated Regional Offices, Vijayawada

Note:- SMS and E-Mail has been sent to V Geroge Jenner, ANDHRA PRADESH with Notification to Project Proponent.

Half Yearly Compliance Report**2024****01 Dec(01 Apr - 30 Sep)****Acknowledgement**

Proposal Name	Expansion of Chlor-Alkali and Synthetic Organic Chemicals manufacturing unit at Sy. No. 51/1, 2A, 2B, 2C1, 2C2, 2C3, 56/1, 58/1, 59/1, 60, 62/3/2D2, 2C1/A2, 2C1/A3, 2C2/C, 2G/1, 2E, 2F, 1A, 1B, 62A, 62 B, 63, 64, 70/C2, 72/P, Gondiparla village, Kurnool mandal and district, Andhra Pradesh by M/s. TGV SRAAC Limited.		
Name of Entity / Corporate Office	TGV SRAAC LIMITED		
Village(s)	GONDIPARLA		
District	KURNOOL		
Proposal No.	IA/AP/IND3/431931/2023		
Plot / Survey / Khasra No.	51/1, 2A, 2B, 2C1, 2C2, 2C3, 56/1, 58/1, 59/1, 60, 62/3/2D2, 2C1/A2, 2C1/A3, 2C2/C, 2G/1, 2E, 2F, 1A, 1B, 62A, 62 B, 63, 64, 70/C2, 72/P, 27, 28 and 66		
State	ANDHRA PRADESH		
MoEF File No.	J-11011/84/2016-IA-II(I)		
Category	Industrial Projects - 3		
Sub-District	Kurnool		
Entity's PAN	*****8581M		
Entity name as per PAN	TGV SRAAC LIMITED		

Compliance Reporting Details

Reporting Year	2024
Remarks (if any)	
Reporting Period	01 Dec(01 Apr - 30 Sep)

Details of Production and Project Area

Name of Entity / Corporate Office TGV SRAAC LIMITED

	Project Area as per EC Granted	Actual Project Area in Possession
Private	152.4	152.4
Revenue Land	0	0
Forest	0	0
Others	0	0
Total	152.4	152.4

Production Capacity

Sr. no	Product Name	units	Valid Upto	Capacity	Production last year	Capacity as per CTO
1	Caustic Soda Lye and Flakes and Caustic Potash	Tons per Day (TPD)	28/02/2025	1220	816.4	1220
2	Carbon tetrachloride	Tons per Day (TPD)	28/02/2025	14.4	7.7	14.4
3	Liquid Chlorine	Tons per Day (TPD)	28/02/2025	720	559.4	720
4	Methylene Chloride	Tons per Day (TPD)	28/02/2025	189.6	162	189.6
5	Chloroform	Tons per Day (TPD)	28/02/2025	94.8	76.8	94.8
6	Hydrogen Chloride (100 percent)	Tons per Day (TPD)	28/02/2025	425.45	170.8	425.45
7	Hydrogen Gas (Nm3)	Tons per Day (TPD)	28/02/2025	341.596	216.9	341.596

Conditions

Specific Conditions

Sr.No.	Condition Type	Condition Details
1	AIR QUALITY MONITORING AND PRESERVATION	The volatile organic compounds (VOCs) Fugitive emissions shall be controlled at 99.97 percent with effective chillers modern technology. Regular monitoring of VOCs shall be carried out.
<p>PPs Submission: Complied</p> <p>We have made vent condensers with chilling arrangement to all CMS products storage tanks and process equipment to control fugitive emissions. We have installed 3 no s continuous ambient air monitoring stations to record parameters as per EC. (Photographs of condensing system is enclosed at Annexure 5)</p>		Date: 14/11/2024
2	AIR QUALITY MONITORING AND PRESERVATION	APCE ESP with adequate stack height shall be provided to proposed coal based 120 TPH boiler for controlling the particulate matter emissions within the statutory limit of 50 mg per Nm3.
<p>PPs Submission: Complied</p> <p>We will provide adequate height chimney for the proposed 120 TPH coal fired boiler for controlling the PM.</p>		Date: 14/11/2024
3	AIR QUALITY MONITORING AND PRESERVATION	Adequate stack height shall be provided to proposed 1 x 20 TPH hydrogen gas fired boiler and 1 x 55 lac salt furnace
<p>PPs Submission: Complied</p> <p>A 30m height stack is provided for 1 x 20 TPH Hydrogen fired boiler. (Photographs of stack is enclosed at Annexure - 1). We will provide adequate size chimney for proposed 1X55 lac K/Cal salt furnace</p>		Date: 14/11/2024
4	AIR QUALITY	At no time, the emission levels shall exceed the prescribed

	MONITORING AND PRESERVATION	standards. In the event of failure of any pollution control system adopted by the unit, the respective unit shall not be restarted until the control measures are rectified to achieve the desired efficiency. Performance assessment of pollution control devices systems will be conducted annually.
PPs Submission: Complied Provided Interlock system to trip the respective operation in the event of failure of any pollution control system.		Date: 14/11/2024
5	AIR QUALITY MONITORING AND PRESERVATION	The project proponent shall utilize modern technologies for capturing of carbon emitted and shall also develop carbon sink carbon sequestration resources capable of capturing more than emitted. The implementation report shall be submitted to the IRO, MoEF and CC in this regard.
PPs Submission: Complied Complied. Commissioned 22.5 MW solar power plant as an alternate source of energy required for our process. This will reduce carbon foot print. Further we are planning to install another 15 MW solar plant during this year. The hydrogen boiler is installed to reduce load on thermal power generation by utilizing excess Hydrogen generated during expansion.		Date: 14/11/2024
6	WASTE MANAGEMENT	The PP shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. Use of automated filling to minimize spillage. Use of Close Feed system into batch reactors. Venting equipment through vapor recovery system. Use of high pressure-hoses for equipment cleaning to reduce wastewater generation.
PPs Submission: Complied Complied. Control systems are provided to regulate the raw material consumption in the process. We have implemented various measures to reduce the water consumption. We have installed effluent recycle plant to utilize treated water in the various stages of the process. We have installed semi-automatic filling system to minimize spillages Closed loop feed systems are provided for reactors. Vent scrubbers are provided to control emission and loss of material. We are using high pressure jet cleaning machine for tubes and equipment cleaning to minimize waste water generation. (Photographs enclosed at Annexure 12)		Date: 15/11/2024
7	Risk Mitigation and Disaster Management	All necessary precautions shall be taken to avoid accidents and action plan shall be implemented for avoiding accidents. The project proponent shall implement the onsite or offsite emergency plan or mock drill etc. and mitigation measures as prescribed under the rules and guidelines issued in the Manufacture, Storage, and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, and the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996. The occupier of new as well as expansion projects shall be required to comply with the provisions of the MSHIC Rules, 1989 including notifying their activities or seeking site approval from the concerned authorities, to address operational safety aspects. In doing so, various schedule, particularly Schedule-5 of the said rules may be referred.
PPs Submission: Complied Complied. Necessary safety precautions are implemented to avoid any accidents. We have prepared Onsite emergency plan for the complex and mock drills are being conducted once in six months. As per the advice of factories department and district emergency authority we have prepared Offsite emergency plan and offsite emergency mock drill with the coordination of district administration. Noted. The proposed 20 percent expansion is within the existing complex only. Hence no separate		Date: 15/11/2024

site approval is required. (Copy of On-site and off-site emergency plan is enclosed at Annexure 4)		
8	Risk Mitigation and Disaster Management	The storage of toxic or hazardous raw material shall be bare minimum with respect to quantity and inventory. Quantity and days of storage shall be submitted to the Regional Office of Ministry and SPCB along with the compliance report.
PPs Submission: Complied Complied. A copy inventory hazardous chemicals is enclosed at Annexure 7		Date: 15/11/2024
9	Risk Mitigation and Disaster Management	The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.
PPs Submission: Complied Complied Necessary arrangements are made in the process to handle accidental fire prevention. Fire hydrant system and extinguishing mechanism is installed as per the norms. (A copy of Fire Hydrant Layout is enclosed at Annexure 9)		Date: 15/11/2024
10	MISCELLANEOUS	A separate Environmental Management Cell (having qualified persons with Environmental Science Environmental Engineering or specialization in the project area) equipped with full-fledged laboratory facilities shall be setup to carry out the Environmental Management and Monitoring functions and shall also engage HOD EHS Division HOD Q and A division HOD O and F division HOD CMS division. In addition to this one safety and health officer as per the qualification given in Factories Act 1948 shall be engaged within a month of grant of EC. PP should annually submit the audited statement of amount spent towards the engagement of qualified persons in EMC along with details of person engaged to the Regional Office of MoEF and CC before 1st July of every year for the activities carried out during previous year.
PPs Submission: Complied Complied. A separate Environmental Management cell is existing with fully equipped laboratory for the environmental management and monitoring functions. HOD EHS Division- HOD Q and A division- HOD O and F division - HOD CMS division are part of environment management cell. Already qualified safety and health officers are existing. (Organo grams of EHS cell is enclosed at Annexure 3) We shall make arrangement for annual audit on details of amount spent towards the engagement of qualified persons in EMC.		Date: 15/11/2024
11	MISCELLANEOUS	The use of cleaner fuel shall be explored.
12	AIR QUALITY MONITORING AND PRESERVATION	Continuous online 24x7 monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB servers. For online continuous monitoring of effluent, the unit shall install web camera with night vision capability and flow meters in the channel drain carrying effluent within the premises.
PPs Submission: Complied Installed continues stack monitoring for all boilers, chlorine neutralization plant final vent and HCl tail gas tower vent. (Photographs are enclosed at Annexure 6)		Date: 14/11/2024
13	AIR QUALITY MONITORING AND PRESERVATION	The solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b)Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c)Solvents shall be stored in a separate space specified with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e)Entire

		plant shall be fire proof. The solvent storage tanks shall be provided with breather valve to prevent losses. (f)All the solvent storage tanks shall relate to vent condensers with chilled brine circulation.
<p>PPs Submission: Complied</p> <p>IChilled brine condensers are provided for all reactors. Mechanical seals are provided for solvent handling pumps. All solvents storage tanks located separately with necessary safety precautions. Earthing is provided for all the solvent storage tanks. Fire proof equipment are provided at appropriate locations. All the storage tanks are provided with breather valve (Photographs are enclosed at Annexure 10)</p>		<p>Date: 14/11/2024</p>
14	AIR QUALITY MONITORING AND PRESERVATION	PP shall obtain registration under Ozone Depleting Substances (Regulation and Control) Rules 2000 as amended from time to time for generation of Carbon Tetra Chloride as byproduct and production of Chlorodifluoromethane (R22), which are Ozone Depleting Substances for exclusively for feedstock purposes.
<p>PPs Submission: Complied</p> <p>Complied We have received certificate of registration to sale Carbon tetra chloride as feed stock to manufacture from Ministry of Environment Forest and Climate Change Ozone Cell. (A copy of certificate is enclosed at Annexure 11) We will follow the guidelines of protocol for utilization of R22</p>		<p>Date: 15/11/2024</p>
15	GREENBELT	The PP shall develop maintain greenbelt over an area of at least 33 percent by planting about 10,000 number of saplings Overall total plantation in the premises 2,33,575 approx. preferably, within a year of grant of EC. The saplings selected for the plantation should be of sufficient height, preferably 6 feet. The budget earmarked for the plantation shall be kept in separate account and should be audited annually. PP should annually submit the audited statement along with proof of activities viz. photographs (before and after with geo location date and time), details of expert agency engaged, details of species planted, number of species planted, survival rate, density of plantation etc. to the Regional Office of MoEF and CC before 1st July of every year for the activities carried out during previous year.
<p>PPs Submission: Complied</p> <p>Will be Complied We have made arrangement to develop green belt with minimum 10000 numbers of saplings during forth coming monsoon. We will maintain separate account for the expenditure incurred towards green belt development and will be audited annually.</p>		<p>Date: 14/11/2024</p>
16	WATER QUALITY MONITORING AND PRESERVATION	Total fresh water requirement for 20 percent expansion shall not exceed 17565.55 m3 per day. The required water shall be drawn from Tungabhadra River through infiltration wells. The PP shall ensure that water supply should not be above the permissible limit and fresh water shall be withdrawn only after obtaining requisite approval of the Concerned Authority. The PP shall submit the details of utilization to the Integrated Regional Office IRO, MoEF and CC before 1st July of every year for the activities carried out during the previous year.
<p>PPs Submission: Complied</p> <p>Complied The water consumption for Phase I Expansion will not exceed 17565.55 KLD as mentioned in EC. We obtained permission to draw 20,000 KLD from Water resource department, Govt. of Andhra Pradesh. (A copy of the same is enclosed at Annexure - 2). We will submit the detailed utilization of water every year before 1st July to Integrated Regional Office (IRO), Vijayawada.</p>		<p>Date: 14/11/2024</p>
17	WATER QUALITY MONITORING AND PRESERVATION	Total effluent generation for 20 percent expansion shall not exceed 2216.7 m3 per day and the same shall be treated in the efficient Effluent Treatment Plan. Treated effluent shall be recycled reused for

		manufacturing process, utility make- up and greenbelt development. Rejects from RO shall be used for brine saturation. No wastewater or treated water from the unit shall be discharged outside the premises and Zero Liquid Discharge shall be maintained for all the units
<p>PPs Submission: Complied</p> <p>The effluent generation is within 2216 KLD even after 20 percent expansion. Chlor- Alkali, Chloromethane plant and Cogen thermal power plant effluent after treatment will be recycled to brine plant and as a process water.</p>		<p>Date: 14/11/2024</p>
18	WATER QUALITY MONITORING AND PRESERVATION	The storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent any wastewater shall not be allowed to mix with storm water.
<p>PPs Submission: Complied</p> <p>At present we have provided recharge pits for all the roof top. As advised, we will divert roof top water to storage tank from there, we will utilize for Industrial purpose</p>		<p>Date: 14/11/2024</p>
19	Human Health Environment	The occupational health center for surveillance of the workers health shall be set up. The health data shall be used in deploying the duties of the workers. All workers and employees shall be provided with required safety kits mask for personal protection
<p>PPs Submission: Complied</p> <p>Fully equipped Occupational Health Centre is already existing and the same will be utilized for the proposed expansion. (Photographs of OHS is enclosed at Annexure 8)</p>		<p>Date: 14/11/2024</p>
20	Human Health Environment	Training shall be imparted to all employees on safety and health aspects for handling chemicals. Safety and visual reality training shall be provided to employees. Action plan for mitigation measures shall be properly implemented based on the safety and risk assessment studies.
<p>PPs Submission: Complied</p> <p>Complied Training programs are being conducted regularly by reputed faculty in the field of safety and environment to all levels of employees. Safety expert Mr Sehagal, who is having large experience in chlorine handling and Mr H S Das, former Joint Director, AMAI and conduction regular safety inspection of the plant and training.</p>		<p>Date: 14/11/2024</p>
21	Statutory compliance	The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA or EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented. The budget propose under EMP is 10.85 crores Capital cost and 10.66 crores per annum Recurring cost shall be kept in separate account and should be audited annually. The PP should submit the annual audited statement along with proof of implementation of activities proposed under EMP duly supported by photographs before and after with geo-location date and time and other document as applicable to the Regional Office of MoEF and CC before 1st July of every year for the activities carried out during previous year
<p>PPs Submission: Complied</p> <p>Condition Noted and same will be followed. The budget proposed EMP will be maintained as separate account and will be audited annually. The audited statement will be submitted to the Integrated Regional Office of MoEF and CC every year before 1st July.</p>		<p>Date: 14/11/2024</p>

22	Statutory compliance	All the hazardous waste shall be managed and disposed as per the HWM Rules 2016. Hazardous waste such as Distillation Residue and Off Specification Products shall be either sent to common incineration site or sent for co- processing.
PPs Submission: Complied Complied. All the hazardous waste is being disposing as per the HWM Rules 2016 and APPCB.		Date: 14/11/2024
23	Statutory compliance	No banned chemicals shall be manufactured by the project proponent. No banned raw materials shall be used in the unit. The project proponent shall adhere to the notifications guidelines of the Government in this regard.
PPs Submission: Complied Condition Noted and same will be followed.		Date: 14/11/2024
24	Statutory compliance	The project proponent shall comply with the environment norms for synthetic organic chemical as notified by the Ministry of Environment, Forest, and Climate Change, vide GSR 608 (E), dated 21. 7.2010 under the provisions of the Environment Protection Rules, 1986.
PPs Submission: Complied Condition Noted and same will be followed.		Date: 14/11/2024
25	WASTE MANAGEMENT	Bottom residue from chloromethane shall be sent to in- house incinerator. ETP sludge and process inorganic residues shall be sent to secured landfill within the plant premises. The same mechanism shall also be continued for the existing units also.
PPs Submission: Complied Complied. We are incinerating the Bottom residue from distillation unit in the in-house incinerator and the same shall be continued here after 20 percent expansion.		Date: 14/11/2024
General Conditions		
Sr.No.	Condition Type	Condition Details
1	Statutory compliance	No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest, and Climate Change or SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry or SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any
PPs Submission: Agreed to Comply Condition Noted and same will be followed		Date: 15/11/2024
2	ENERGY PRESERVATION MEASURES	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment
PPs Submission: Complied		Date:

Complied. A copy of EC was submitted at Panchayat office, Zilla Parishad and Municipal Corporation. (Copies of Ack is enclosed at Annexure 15)		15/11/2024
3	Corporate Environmental Responsibility	The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco- developmental measures including community welfare measures in the project area for the overall improvement of the Environment.
PPs Submission: Complied Complied. Rs. 551.51 lakhs spent for CSR. (Photographs enclosed at Annexure 14)		Date: 15/11/2024
4	MISCELLANEOUS	The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management pollution control measures shall not be diverted for any other Purpose.
PPs Submission: Being Complied Will be Complied Action Plan to implement the conditions stipulated by the MoEFCC is enclosed at Annexure 18.		Date: 15/11/2024
5	MISCELLANEOUS	This Environmental clearance is granted subject to outcome of Honble Supreme Court of India, Honble High Court, Honble NGT, and any other Court of Law, if any, as may be applicable to this Project.
PPs Submission: Agreed to Comply Condition Noted.		Date: 15/11/2024
6	MISCELLANEOUS	The project proponent shall have a well laid down environmental policy duly approved by the Board of Directors (in case of Company) or competent authority, duly prescribing standard operating procedures to have proper checks and balances and to bring into focus any in fragments, deviation, violation of the environmental ,forest ,wildlife ,norms, conditions.
PPs Submission: Complied Complied. We have prepared environmental policy and the same is duly approved by the Board of Directors. (A copy of the same is enclosed at Annexure 19).		Date: 15/11/2024
7	MISCELLANEOUS	Action plan for implementing EMP and environmental conditions along with responsibility matrix of the project proponent (during construction phase) and authorized entity mandated with compliance of conditions (during operational phase) shall be prepared. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Six monthly progresses of implementation of action plan shall be reported to the Ministry regional Office along with the Six-Monthly Compliance Report
PPs Submission: Being Complied Will be Complied Rs 1085.4 lakhs was earmarked for towards capital cost and recurring cost per annum to implement the conditions stipulated by the MoEFCC. List is enclosed at Annexure 18		Date: 15/11/2024
8	MISCELLANEOUS	Concealing factual data or submission of false , fabricated data may

		result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
PPs Submission: Agreed to Comply Condition Noted.		Date: 15/11/2024
9	MISCELLANEOUS	The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data information monitoring reports
PPs Submission: Agreed to Comply Condition Noted and same will be followed.		Date: 15/11/2024
10	MISCELLANEOUS	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
PPs Submission: Agreed to Comply Condition Noted.		Date: 15/11/2024
11	ENERGY PRESERVATION MEASURES	The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment
PPs Submission: Complied Complied Installed LED lights in the plant and energy saving equipment. (Photographs are enclosed at Annexure 13)		Date: 15/11/2024
12	Statutory compliance	The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage, and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.
PPs Submission: Agreed to Comply Condition Noted and same will be followed		Date: 15/11/2024
13	Statutory compliance	A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad and Municipal corporation, Urban local Body, and the local NGO, if any, from whom suggestions or representations, if any, were received while processing the proposal.
PPs Submission: Complied Complied. A copy of EC was submitted at Panchayat office, Zilla Parishad and Municipal Corporation. (Copies of Ack is enclosed at Annexure 15)		Date: 15/11/2024
14	Statutory compliance	The project proponent shall also upload and submit six monthly reports on PARIVESH Portal on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Integrated Regional Office of MoEF and CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.

<p>PPs Submission: Complied Complied Submitted six months compliance report at PARIVESH 2.0 Portal. (Copy of Ack is enclosed at Annexure 16)</p>		<p>Date: 15/11/2024</p>
15	Statutory compliance	<p>The environmental statement for each financial year ending 31st March in Form V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Integrated Regional Office of MoEF and CC by e-mail.</p>
<p>PPs Submission: Complied Complied. Submitting environmental statement every year to state Pollution control board and put on company website along with status of compliances of environmental clearance conditions. E-mail will be sent to IRO, MOEFCC</p>		<p>Date: 15/11/2024</p>
16	Statutory compliance	<p>The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB Committee and may also be seen at Website of the Ministry and at https://parivesh.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.</p>
<p>PPs Submission: Complied Complied. Informed the public stating that our industry has been accorded environmental clearance by the MoEFCC through two newspapers. (The Indian Express dated 20.02.2024 and Andhra Prabha dated 20.02.2024.) (Copies are enclosed at Annexure 17)</p>		<p>Date: 15/11/2024</p>
17	Statutory compliance	<p>The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project</p>
<p>PPs Submission: Complied Complied Obtained CFO vide CFO order no. 1274022/ APPCB/KNL/KNL/CTO and HWA/HO/ 2024 dated 25.04.2024 valid till 28.02.2025</p>		<p>Date: 15/11/2024</p>
18	Statutory compliance	<p>The project proponent shall prominently advertise it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days indicating that the project has been accorded environment clearance and the details of MoEF and CC SEIAA website where it is displayed.</p>
<p>PPs Submission: Complied Complied. Informed the public stating that our industry has been accorded environmental clearance by the MoEFCC through two newspapers. (The Indian Express dated 20.02.2024 and Andhra Prabha dated 20.02.2024.) (Copy of Paper Advertisement is enclosed at Annexure 17)</p>		<p>Date: 15/11/2024</p>
19	Statutory compliance	<p>The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn must display the same for 30 days from the date of receipt.</p>
<p>PPs Submission: Complied Complied. A copy of EC was submitted at Panchayat office, Zilla Parishad and Municipal</p>		<p>Date: 15/11/2024</p>

Corporation. (Copies of Ack is enclosed at Annexure 15)

Visit Remarks

Last Site Visit Report Date:

20/06/2024

Additional Remarks:

Note: This acknowledgement is as per the details submitted by project proponent. In no way is this document to be considered as conclusion on any action on the compliance of the project. This is strictly for the project proponent's reference purpose.